



 **SwissStop**[®]
cycling brake power

2017

ENGLISH

SwissStop® CELEBRATES 25 YEARS

AND 50 YEARS OF BICYCLE
BRAKE PAD EXPERIENCE

INDEX

3-5	SwissStop Company Information
6-8	Organic disc brake pads
9	Disc E disc brake pads
10	Sintered disc brake pads
11	SwissStop Disc Brake Silencer
12-13	EXOTerm Disc Brake Pads
14-17	NEW CATALYST Disc Rotor
18-19	Rim brake pads for carbon wheels
20-23	Rim brake pads for alloy wheels
24	OEM Partners
25	Teams 2016
26-31	Product overview



1966



1991



2002



2004



2013



2016



SwissStop® BICYCLE BRAKE PADS

A product of Rex Articoli Tecnici SA

SwissStop bicycle brake pads are a product of Rex Articoli Tecnici SA of Mendrisio, Switzerland. Founded in 1935, the company started to develop and manufacture bicycle brake pads in the 1950s, becoming the original equipment supplier for several of the leading brake manufacturers of that time. By the 1970s annual production reached over 20 million pieces per year. SwissStop was created in the 1990s and with this brand Rex continues its decades long tradition of research, development and production in the bicycle brake pad industry.

Technical items of rubber, thermoplastics, and a variety of elastic materials are produced and sold by the company. Rex Articoli offers customer support through product knowledge and service with a sales network that covers the entire globe.

Rex Articoli Tecnici SA
via Catenazzi 1
6850 Mendrisio
Switzerland

sales@SwissStop.ch
www.SwissStop.ch
© 2016 Rex Articoli Tecnici SA

SWISS QUALITY



Rex Articoli Tecnici

Innovation and expertise in technical rubber products since 1935.

Advanced product development, testing, production and packing in Switzerland.



DISC

ORGANIC DISC COMPOUND

- versatile organic Kevlar/brass/ceramic compound
- excellent braking performance and durability
- extremely low noise
- 27 models available



DISC 1

Fits **Magura** Julie



DISC 2

Fits **Magura** Louise, Clara 2000



DISC 3

Fits **Magura** Louise FR 2002, Clara 2001



DISC 5

Fits **Shimano** Deore BR-M555



DISC 6

Fits **Shimano** XT BR-M755 **Hope** Mono M4, Tech M4, Stealth Race E4, Tech 4 E4 **Grimeca** System 8 **SRAM** Mech. 9.0 **Trickstuff** The Cleg 4



DISC 9

Fits **Hayes** HFX-Mag, HFX-9, Promax



DISC 10

Fits **Magura** Marta, Marta SL



DISC 11

Fits **Formula** B4/ Racing XC/ Extreme FR/ DR/BR Team/Pro/SL



DISC 15

Fits **Shimano** Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 **TRP** Hylex, HY/RD, Spyre SL **Tektro** Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 **QUAD** Disc Brake



DISC 16

Fits **Shimano** XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665 **TRP** Dash Carbon



DISC 17

Fits **Avid** Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical



DISC 18

Fits **Formula** ORO



DISC 19

Fits **Hayes** Sole, MX3 Mechanical, CX5 **QUAD** QHD-4/5/SP



DISC 20

Fits **Hope** Mono Mini



DISC 21

Fits **Magura** Marta 2009, Louise 2007/08, Louise Bat, Louise Carbon, Julie hp **Brake Force One** BFO Brake



DISC 22

Fits **Avid** Code (2008-2010), Code 5, Code 7



DISC 23

Fits **Hayes** Stroker Ryde, Radar




DISC 24


Fits **Hayes** Stroker Trail, Gram

PERFORMANCE

STOPPING DISTANCES



STOPPING DISTANCE (m), 60 km/h -0, dry conditions comparison with competitor A



STOPPING DISTANCE (m), 60 km/h -0, dry conditions comparison with competitor B

DISC

ORGANIC DISC COMPOUND



DISC 25

Fits **Formula** RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1



DISC 26

Fits **Avid** Elixir 9, 7, 5, 3, 1, CR, R **SRAM** XX, XO, DB 5, 3, 1, Level TL, T, Level



DISC 27

Fits **Shimano** SAINT BR-M820, BR-M810, ZEE BR-M640 **TRP** Quadiem, Quadiem SL, Slate T4

DISC E

- long lasting, high endurance pad compound
- very easy modulation of braking force
- high temperature stability for consistent brake power
- organic formula is low noise and rotor friendly



DISC 28

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1



DISC 29

Fits **Avid** Code (2011-2014), Code R



DISC 30

Fits **Magura** MT 2, 4, 6, 8



DISC 15 E

Fits **Shimano** Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 **TRP** Hylex, HY/RD, Spyre SLC **Tektro** Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 **QUAD** Disc Brake



DISC 26 E

Fits **Avid** Elixir 9, 7, 5, 3, 1, CR, R **SRAM** XX, XO, DB 5, 3, 1, Level TL, T, Level



DISC 28 E

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1



DISC 31

Fits **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail **SRAM** Guide Ultimate, RSC, RS, R



DISC 32

Fits **SRAM** HRD, Level Ultimate, TLM



DISC 33

Fits **Magura** MT 5, 7



DISC 30 E

Fits **Magura** MT 2, 4, 6, 8



DISC 34 E

Fits **Shimano** BR-RS805, BR-RS505

DISC S

- sintered metallic compound provides improved braking power in dry and wet conditions
- very low pad wear rates
- high heat resistance
- excellent for gravity riders, or those riding in wet, sandy conditions
- 12 models available



DISC 15 S

Fits **Shimano** Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 **TRP** Hylex, HY/RD, Spyre SLC **Tektro** Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 **QUAD** Disc Brake



DISC 16 S

Fits **Shimano** XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665 **TRP** Dash Carbon



DISC 17 S

Fits **Avid** Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical



DISC 18 S

Fits **Formula** ORO



DISC 25 S

Fits **Formula** RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1



DISC 26 S

Fits **Avid** Elixir 9, 7, 5, 3, 1, CR, R **SRAM** XX, XO, DB 5, 3, 1, Level TL, T, Level



DISC 27 S

Fits **Shimano** SAINT BR-M820, BR-M810, ZEE BR-M640 **TRP** Quadiem, Quadiem SL, Slate T4



DISC 28 S

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150 **REVER** MCX1



DISC 30 S

Fits **Magura** MT 2, 4, 6, 8



DISC 31 S

Fits **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail **SRAM** Guide Ultimate, RSC, RS, R



DISC 32 S

Fits **SRAM** HRD, Level Ultimate, TLM



DISC 33 S

Fits **Magura** MT 5, 7

SwissStop

disc brake SILENCER

After using it the first time I thought, "That's just a coincidence"
After the second time I thought, "Pretty cool".
After the third time I thought, "It really works. This is great!"

-Alexander Giegerich,
www.fahrradhof-grosswallstadt.de

PERFORMANCE

- prevents and reduces brake squealing, without impairing the braking effect
- simultaneously dissipates heat
- prevents non-uniform wear
- eliminates vibration on braking



50 ML


400 ML

EXOTHERM


MAXIMUM PAD LIFE
MINIMUM BRAKE FADE

PAD WEAR COMPARISON

after 6 Norm tests




Based on the award winning SwissStop Disc E compound, the EXOTHERM provides high performance braking at all levels of use while minimizing pad wear.



Brake system temperatures are dramatically lower than standard pads, reducing wear on pads and rotors. Lower temperatures also mean more consistent brake performance by reducing brake fade - the reduction of brake power caused by overheated components.


STOPPING DISTANCES

various speed and force on brake lever



TEMPERATURE AT ROTOR

fatigue test (700 W)



DISC 25

Fits **Formula** RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1



DISC 26

Fits **Avid** Elixir 9, 5, 3, 1, CR, R **SRAM** XX, XO, DB 5, 3, 1



DISC 27

Fits **Shimano** SAINT BR-M820, ZEE BR-M640



DISC 28

Fits **Shimano** XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 **FSA** K-Force DB-TX-9000, Afterburner DB-TX-9150



DISC 30

Fits **Magura** MT 2, 4, 6, 8



DISC 31

Fits **Avid** XO Trail, Elixir 9 Trail, Elixir 7 Trail **SRAM** Guide Ultimate, RSC, RS, R



DISC 32

Fits **SRAM** HRD



DISC 34

Fits **Shimano** BR-RS805, BR-RS505

NEW

CATALYST

disc rotor

SwissStop®

ENGINEERED TO SET A NEW STANDARD


OPTIMUM HEAT DISSIPATION

RELIABLE PERFORMANCE FROM CYCLOCROSS TO DOWNHILL

HIGH DURABILITY, EVEN IN THE TOUGHEST CONDITIONS


RESEARCH AND DEVELOPMENT

1. DESIGN AND MODELLING



In early 2015, the SwissStop engineering team conducted a series of laboratory tests on bicycle brake disc rotors. Next, they created digital models of these rotors and simulated the same test environments using advanced software. A comparison of the data verified that the simulations were accurate and effective, giving the engineers confidence to proceed with creating an array of digital prototypes to thoroughly test and evaluate.


2. HEAT AND STRUCTURE SIMULATIONS



Heat transfer within the design concepts was studied extensively using engineering simulation software. The relationships between convection, radiation, surface area and weight were used to determine the optimal design to maximize heat dissipation and strength while minimizing weight.


The structure of each design was evaluated under braking forces ranging from typical hand pressure up to theoretical maximums. Critical pressure points in the structure were identified in order to maximize the strength and stiffness of the rotor.

3. AIRFLOW ANALYSIS



Computational fluid dynamics (CFD) simulations were performed to study airflow over the surface of the rotor and through the cut-outs. A variety of profiles were tested to determine the effects of asymmetrical holes and optimize the cooling effect of airflow over the surfaces.

4. FINAL DESIGN



The final design was confirmed and visualized with further thermal and structural simulations.

A two piece design consisting of a 7075T6 aluminum alloy spider and SUS410 stainless steel brake track was chosen to balance light weight with reliable thermal management and structural performance.

Vibrations are minimized by the geometry of the brake pad contact area.

SWISS ENGINEERING

Thermodynamic simulations, structural analysis and fluid dynamic visualizations were conducted in collaboration with the Institute for Energy Technology at HSR University of Applied Science.

HSR
HOCHSCHULE FÜR TECHNIK
RAPPERSWIL
FHO Fachhochschule Ostschweiz

NEW


CATALYST

disc rotor




5. LABORATORY TESTING

Endurance Test: Torque



Endurance Test: Handforce



Laboratory testing of the Catalyst disc rotor confirmed the results of the engineering simulations.

The Catalyst excels in endurance testing - delivering consistent brake torque over time while standard brake systems gradually decline and eventually suffer structural failure.

Further tests demonstrated extremely efficient thermal management, notably shorter stopping distances, very low wear rates and structural integrity under hard braking exceeding the current industry leaders.

Practical testing of the prototypes allowed the development team to determine the optimum balance between two of the primary, yet competing, characteristics: brake performance and weight.

A carefully chosen few extra grams of material added to the outer ring translated directly into shorter stopping distances.

Engineers selectively added material to specific sizes to further improve performance and durability.

Thickness by model

- Ø 140mm 1.85mm
- Ø 160mm 1.80mm
- Ø 180mm 1.80mm
- Ø 203mm 1.85mm

Compatible with all sintered and organic pad compounds. Optimized for SwissStop EXOTerm.

6. SPECIFICATIONS AND PERFORMANCE COMPARISON

	Rotor	Braking Force Dry (N)	Temperature (C)	Braking Force Wet (N)	60 km/h to stop Dry 90 N (m)	60 km/h to stop Wet 90 N (m)	Consumption (%)	Rotor Weight (g)
	Catalyst 140mm	722	126	616	56	47	1	110
	Shimano RT 81 140mm	645	177	408	113	120	6	98
	Catalyst 160mm	824	184	702	52	44	1	128
	Shimano RT 81 160mm	838	136	637	52	81	10	120
	Catalyst 180mm	964	171	785	44	44	1	156
	Shimano RT 81 180mm	925	168	837	50	57	11	140
	Catalyst 203mm	1091	166	830	40	42	1	198
	Shimano RT 81 203mm	902	182	342	56	57	11	170



COMPOUNDS FOR CARBON RIMS

BLACK PRINCE

EXCELLENT MODULATION



FlashPRO

Fits SRAM | Shim Road



FlashPRO

FULL TYPE

Fits SRAM | Shim Road

TEAMS



FlashEXO

Fits SRAM | Shim Road



RacePRO

Fits Camp 10|11 sp

YELLOW KING

FOR CARBON RIMS



FlashPRO

Fits SRAM | Shim Road



FlashPRO

FULL TYPE

Fits SRAM | Shim Road



RacePRO

Fits Camp 10|11 sp



Rat


Fits cantilever

COMPOUNDS FOR ALU RIMS




PERFORMANCE

STOPPING DISTANCES



STOPPING DISTANCE (m), 60 km/h -0, dry conditions

MODULATION



More performance info at www.SwissStop.ch/tech/compounds

BXP

EXTREME PERFORMANCE



FlashPRO

Fits SRAM | Shim Road



FlashPRO

FULL TYPE

Fits SRAM | Shim Road



FlashEVO

Fits SRAM | Shim Road



RacePRO

Fits Camp 10|11 sp

"I recently completed an epic cycle trip and before doing so, installed your Flash Pro BXP Alloy Rim brakes. I cycled the whole way across the USA - San Francisco, CA to Portsmouth, NH totalling 3808 miles in 47 days. An amazing adventure, which pushed both myself and the bike to the limit. Not only was I impressed by the reliant braking power of the BXP brakes, even in wet conditions and down some very steep mountain passes, but I never had to replace the brake blocks! In fact even returning home, they still look hardly worn. I have never had brake blocks like it and shall certainly never buy anything else but these again! They are one of the best purchases I have made for the bike and I just wanted to let you know."

-Becky Williams
UK

GHP2

HIGH PERFORMANCE



RacePRO

Fits Camp 10|11 sp



VikingPRO

Fits threaded post



RxPLUS

Fits V-Type



RxPLUS

FULL TYPE

Fits V Type



Rat

Fits cantilever



COMPOUNDS FOR ALU RIMS

ORIGINAL BLACK

SMOOTH,RIM FRIENDLY BRAKING

GREY ECONOMY

WEINMANN STYLE



FlashPRO

Fits SRAM | Shim Road



FlashPRO

FULL TYPE
Fits SRAM | Shim Road



RacePRO

Fits Camp 10|11 sp



Viking

Fits threaded post



StandardUNIVERSAL

Fits Weinmann style



VikingPRO

Fits threaded post



RxPLUS

Fits V-Type



RxPLUS

FULL TYPE
Fits V Type

ACCESSORY ITEMS



PolierGUMMI

for alu rims



Rat

Fits cantilever

OEM PARTNERS

CARBON WHEELS AND BRAKE CALIPERS



Mavic



DT Swiss



ZIPP



Easton



Lightweight



Vision



FFWD



Roval



3T



Tune



Ambrosio



Farsports



BLKTEC



Ursus



SWS



AX Lightness



SRAM



FSA



KCNC



Fourier

TEAMS 2016



team **IAM Cycling**
wheels **DT Swiss**
brakes **Shimano**
pads used **Flash EVO Black Prince**
FlashPro Black Prince
FlashPro BXP



team **Team Roompot**
wheels **FFWD**
brakes **SRAM**
pads used **FlashPro Black Prince**
Flash EVO Black Prince
FlashPro BXP






team **Trek - Segafredo**
wheels **Bontrager**
brakes **Shimano**
pads used **Flash EVO Black Prince**
FlashPro Black Prince








team **Marlux - Napoleon Games**
wheels **FFWD**
brakes **Shimano Cantilever CX**
pads used **FlashPro Black Prince**
FlashPro Yellow King












Model	Compound	Rim		Art-Nr. / EAN	pack	box
FlashPro fits SRAM Shim Road	Original Black	Alu		P100001815 	4	20
	BXP	Alu		P100003203 		
	Yellow King	Carbon		P100001833 		
	Black Prince	Carbon		P100003205 		
	Platinum Zipp *	Carbon		P100004015 		
Full FlashPro fits SRAM Shim Road	Original Black	Alu		P100001881 	2	14
	BXP	Alu		P100003331 		
	Yellow King	Carbon		P100001882 		
	Black Prince	Carbon		P100003330 		
Flash EVO fits SRAM Shim Road	BXP	Alu		P100003763 	4	20
	Black Prince	Carbon		P100003762 		
RacePro fits Camp 10 11 sp	Original Black	Alu		P100002482 	4	20
	GHP2 *	Alu		P100002483 		
	BXP	Alu		P100003208 		
	Yellow King	Carbon		P100002484 		
	Black Prince	Carbon		P100003206 		

Model	Compound	Rim		Art-Nr. / EAN	pack	box
Standard Universal fits Weinmann style		Alu		P000650200	open	1000
Viking fits threaded post	Grey Economy	Alu		P000647120	pairs	60
VikingPro fits threaded post	Original Black	Alu		P100002773 	2	14
	GHP2 *	Alu		P100002772 		
RxPlus fits V-Type	Original Black	Alu		P100002334 	4	20
	GHP2 *	Alu		P100002318 		
Full RxPlus fits V Type	Original Black	Alu		P100002337 	2	14
	GHP2 *	Alu		P100002338 		
Rat fits cantilever	Original Black	Alu		P000310204 	4	20
	GHP2 *	Alu		P000320404 		
	Yellow King *	Carbon		P000330504 		






PolierGummi

PolierGummi	34x20x8.5mm	Cleaning block for alloy rims		P000771340 		50
-------------	-------------	-------------------------------	---	---	--	----

Model	Fit		Art-Nr. / EAN	pack	box
EXOTerm					
Disc 25 EXOTerm	Formula RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1		P100004703 	2	14
Disc 26 EXOTerm	Avid Elixir 9, 5, 3, 1, CR, R SRAM XX, XO, DB 5, 3, 1		P100004705 	2	14
Disc 27 EXOTerm	Shimano SAINT BR-M820, ZEE BR-M640		P100004707 	2	14
Disc 28 EXOTerm	Shimano XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 FSA K-Force DB-TX-9000, Afterburner DB-TX-9150		P100004709 	2	14
Disc 30 EXOTerm	Magura MT 2, 4, 6, 8		P100004711 	2	14
Disc 31 EXOTerm	Avid XO Trail, Elixir 9 Trail, Elixir 7 Trail SRAM Guide Ultimate, RSC, RS, R		P100004713 	2	14
Disc 32 EXOTerm	SRAM HRD		P100004715 	2	14
Disc 34 EXOTerm	Shimano BR-RS805, BR-RS505		P100004819 	2	14
Organic					
Disc 1	Magura Julie		P000730001 	2	20
Disc 2	Magura Louise, Clara 2000		P000730002 	2	20
Disc 3	Magura Louise FR 2002, Clara 2001		P000730003 	2	20
Disc 5	Shimano Deore BR-M555		P000730005 	2	20
Disc 6	Shimano XT BR-M755 Hope Mono M4, Tech M4, Stealth Race E4, Tech 4 E4 Grimeca System 8 SRAM Mech. 9.0 Trickstuff The Cleg 4		P000730006 	2	20
Disc 9	Hayes HFX-Mag, HFX-9, Promax		P000730009 	2	20
Disc 10	Magura Marta, Marta SL		P000730010 	2	20

Model	Fit		Art-Nr. / EAN	pack	box
Disc 11 *	Formula B4/ Racing XC/ Extreme FR/DR/BR Team/Pro/SL		P000730011 	2	20
Disc 15	Shimano Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 TRP Hylex, HY/ RD, Spyre SLC Tektro Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 QUAD Disc Brake		P000730015 	2	20
Disc 16	Shimano XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665 TRP Dash Carbon		P000730016 	2	20
Disc 17	Avid Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical		P000730017 	2	20
Disc 18	Formula ORO		P000730018 	2	20
Disc 19	Hayes Sole, MX3 Mechanical, CX5 QUAD QHD-4/5/SP		P000730019 	2	20
Disc 20 *	Hope Mono Mini		P000730020 	2	20
Disc 21 *	Magura Marta 2009, Louise 2007/08, Louise Bat, Louise Carbon, Julie hp Brake Force One BFO Brake		P000730021 	2	20
Disc 22 *	Avid Code (2008-2010), Code 5, Code 7		P000730022 	2	20
Disc 23	Hayes Stroker Ryde, Radar		P100001426 	2	20
Disc 24	Hayes Stroker Trail, Gram		P100001424 	2	20
Disc 25	Formula RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1		P100001425 	2	20
Disc 26	Avid Elixir 9, 7, 5, 3, 1, CR, R SRAM XX, XO, DB 5, 3, 1, Level TL, T, Level		P100001650 	2	20
Disc 27	Shimano SAINT BR-M820, BR-M810, ZEE BR-M640 TRP Quadiem, Quadiem SL, Slate T4		P100001651 	2	20
Disc 28	Shimano XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 FSA K-Force DB-TX-9000, Afterburner DB-TX-9150 REVER MCX1		P100001652 	2	20
Disc 29	Avid Code (2011-2014), Code R		P100001653 	2	20

* nur solange Lagervorrat / jusqu'à la fin du stock / fino ad esaurimento delle scorte / while current stock remains

Model	Fit		Art-Nr. / EAN	pack	box
Disc 30	Magura MT 2, 4, 6, 8		P100002876 	2	20
Disc 31	Avid XO Trail, Elixir 9 Trail, Elixir 7 Trail SRAM Guide Ultimate, RSC, RS, R		P100003239 	2	20
Disc 32	SRAM HRD, Level Ultimate, TLM		P100003789 	2	20
Disc 33	Magura MT 5, 7		P100004288 	4	20
Sintered					
Disc 15 S	Shimano Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 TRP Hylex, HY/RD, Spyre SLC Tektro Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 QUAD Disc Brake		P100002784 	2	20
Disc 16 S	Shimano XTR BR-M975, BR-M966, BR-M965, XT BR-M776, BR-M775, BR-M765, SLX BR-M665 TRP Dash Carbon		P100002785 	2	20
Disc 17 S	Avid Juicy 3, 5, 7, Carbon, Ultimate, BB7 Mechanical		P100002786 	2	20
Disc 18 S	Formula ORO		P100002787 	2	20
Disc 25 S	Formula RO Racing, T1 Racing, R1 Racing, R1, C1, CR3, T1, RO, Mega, The One, RX, RR1		P100002788 	2	20
Disc 26 S	Avid Elixir 9, 7, 5, 3, 1, CR, R SRAM XX, XO, DB 5, 3, 1, Level TL, T, Level		P100002789 	2	20
Disc 27 S	Shimano SAINT BR-M820, BR-M810, ZEE BR-M640 TRP Quadiem, Quadiem SL, Slate T4		P100003797 	2	20
Disc 28 S	Shimano XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 FSA K-Force DB-TX-9000, Afterburner DB-TX-9150 REVER MCX1		P100002790 	2	20
Disc 30 S	Magura MT 2, 4, 6, 8		P100003794 	2	20
Disc 31 S	Avid XO Trail, Elixir 9 Trail, Elixir 7 Trail SRAM Guide Ultimate, RSC, RS, R		P100003795 	2	20
Disc 32 S	SRAM HRD, Level Ultimate, TLM		P100003796 	2	20
Disc 33 S	Magura MT 5, 7		P100004289 	4	20

Model	Fit		Art-Nr. / EAN	pack	box
Disc E					
Disc 15 E	Shimano Deore BR-M575, BR-M525, BR-M515, LX BR-T675, BR-M505 TRP Hylex, HY/RD, Spyre SLC Tektro Orion SL HD-M740, Orion HD-M730, HD-M725, Gemini SL HD-M520 / M521 QUAD Disc Brake		P100003790 	2	20
Disc 26 E	Avid Elixir 9, 7, 5, 3, 1, CR, R SRAM XX, XO, DB 5, 3, 1, Level TL, T, Level		P100003791 	2	20
Disc 28 E	Shimano XTR BR-M9000, BR-M9020, BR-M987, XT BR-M8000, BR-M785, SLX BR-M675, BR-M666 FSA K-Force DB-TX-9000, Afterburner DB-TX-9150 REVER MCX1		P100003792 	2	20
Disc 30 E	Magura MT 2, 4, 6, 8		P100003793 	2	20
Disc 34 E	Shimano BR-RS805, BR-RS505		P100005012 	2	20

Disc Rotor					
Catalyst	NEW	140 mm	6 bolt	 P100005008 	1 10
		160 mm	6 bolt	 P100005009 	
		180 mm	6 bolt	 P100005010 	
		203 mm	6 bolt	 P100005011 	

Silencer						
SwissStop Disc Brake Silencer	50 ml	DE / FR / IT / EN / ES / NL / DK		P100002354 		12
	400 ml	DE / FR / IT / EN / ESP / NL		P100004436 		
Promotional Items						
Compressed Towel	UPDATED	30 x 60cm		P100003788		30
Disc Poster		364 x 364mm		P100004322		50



 **SwissStop**[®]
cycling brake power

2017

ENGLISH